

Chapter 30 WASTEWATER TREATMENT ZONE - RULES

INTRODUCTION

This chapter contains rules managing land uses in the Wastewater Treatment Zone. The Wastewater Treatment Zone identifies an area of land associated with the treatment of the City's wastewater at Awatoto. It provides for the specific activities that are required for the treatment of the City's wastewater. It also provides for those land uses that have significant effects on the City's infrastructure in a location where those effects can be managed to minimise any adverse effect on the environment. Wastewater treatment processes are often perceived to have unpleasant effects on amenity values, particularly in relation to the generation of odours. However, with current technology and management practices, these effects can be minor in nature. In many respects the levels of effects to arise from wastewater treatment are likely to be considerably lower than those of traditional industrial zones.

All rules apply throughout the zone unless otherwise stated.

30.1 Summary of Wastewater Treatment Zone Rules

The following is a quick reference guide that summarises the Wastewater Treatment Zone Activity Table. It is intended as a guide only and must not be used in place of the Wastewater Treatment Zone Activity Table and Condition table elsewhere in this Chapter.

Rule Number and Description		Classification	Page Number
Rule 30.2	Wastewater treatment activities.	Permitted	3
Rule 30.3	Industrial activities.	Permitted	3
Rule 30.4	Agricultural activities.	Permitted	3
Rule 30.5	Horticultural activities.	Permitted	3
Rule 30.6	Viticulture activities.	Permitted	3
Rule 30.7	Commercial forestry.	Permitted	3
Rule 30.8	Residential activities (in a caretaker-type role).	Permitted	4
Rule 30.9	Scheduled sites.	Permitted	4
Rule 30.10	Land development (including subdivision but excluding Multi Unit Development for Commercial and Residential Activities).	Controlled	4
Rule 30.11	Relocation of a building from another site.	Controlled	5
Rule 30.12	Any subdivision, use or development of land referred to in Rules 30.2 to 30.11 that does not comply with all the relevant conditions, unless stated by a rule elsewhere in this Chapter.	Restricted Discretionary	5
Rule 30.13(a)	Any land use not stated by a rule elsewhere in this Chapter as a permitted activity, a controlled activity, a restricted discretionary activity or a prohibited activity.	Discretionary	5
Rule 30.13(b)	Tyre storage activities that do not comply with all the relevant conditions.	Discretionary	6
Rule 30.13(c)	Residential activities not accessory to a permitted activity.	Discretionary	6

Rule 30.13(d)	Commercial activities.	Discretionary	6
Rule 30.13(e)	Office accommodation not accessory to a permitted activity.	Discretionary	6
Rule 30.13(f)	Use of explosives, other than for temporary military training purposes.	Discretionary	6

WASTEWATER TREATMENT ZONE – ACTIVITY TABLE

PERMITTED ACTIVITIES	Matters the Council will restrict its discretion to for restricted discretionary activities.
<p>30.2 Wastewater Treatment Activities</p> <p>1. Any use of land and associated structures for the treatment of wastewater is a permitted activity provided that:</p> <p>a) It must comply in all respects with the relevant conditions in the Wastewater Treatment Zone activity table and condition table.</p>	<p>The Council will restrict its discretion to the matters referred to in Rule 30.12</p>
<p>30.3 Industrial Activities</p> <p>1. Unless otherwise provided for, any industrial activity is a permitted activity provided that:</p> <p>a) It must comply in all respects with the relevant conditions in the Wastewater Treatment Zone activity table and condition table.</p> <p>2. Any storage of tyres is a permitted activity provided that:</p> <p>a) The activity is ancillary to another activity on the site</p> <p>b) The tyres must be stored in a single storage area that is either inside a building or at least 10m from the front boundary of the site</p> <p>c) The storage area must not exceed 10m² and must not have a dimension of more than 4m</p> <p>d) Tyres must not be stored above a height of 1.5m</p> <p>e) Outdoor storage areas must be fully screened from all public spaces and adjoining sites</p> <p>f) The storage area must be locked at all times when the premises is not in use.</p>	<p>The Council will restrict its discretion to the matters referred to in Rule 30.12.</p> <p>NOTE: Any storage of tyres activity that does not comply with all of the relevant conditions is a discretionary activity (see Rule 30.13).</p>
<p>30.4 Agricultural Activities</p> <p>1. Any agricultural activity is a permitted activity provided that:</p> <p>a) It must comply in all respects with the relevant conditions in the Wastewater Treatment Zone activity table and condition table.</p>	<p>The Council will restrict its discretion to the matters referred to in rule 30.12.</p>
<p>30.5 Horticultural Activities</p> <p>1. Any horticultural activity is a permitted activity provided that:</p> <p>a) It must comply in all respects with the relevant conditions in the Wastewater Treatment Zone activity table and condition table.</p>	<p>The Council will restrict its discretion to the matters referred to in rule 30.12.</p>
<p>30.6 Viticulture Activities</p> <p>1. Any viticulture activity is a permitted activity provided that:</p> <p>a) It must comply in all respects with the relevant in the Wastewater Treatment Zone activity table and condition table.</p>	<p>The Council will restrict its discretion to the matters referred to in rule 30.12.</p>
<p>30.7 Commercial Forestry</p> <p>1. Any commercial forestry is a permitted activity provided that:</p> <p>a) Any part of a building, structure or tree must not be located within 10 metres of any site boundary.</p>	<p>The Council will restrict its discretion to the matters referred to in Rule 30.12 including the following:</p> <ul style="list-style-type: none"> - The effects on rural character. - The effects on public health and safety.

<p>b) It must comply in all respects with the relevant conditions in the Wastewater Treatment Zone activity table and condition table.</p>	<ul style="list-style-type: none"> - The effects on amenity values. - The effects on traffic safety. - The effects of shading.
<p>30.8 Residential Activities (in a care taking-type role)</p> <p>1. Any residential activity, unless stated by a rule elsewhere in this Plan, is a permitted activity provided that:</p> <p>a) That it must comply in all respects with the relevant conditions elsewhere in the Wastewater Treatment Zone activity table and condition table.</p> <p>b) That it is accessory to a wastewater treatment activity or a rural activity.</p> <p>c) It is used solely by the owner of the business premises or any permanent employee undertaking a caretaking function and their immediate relatives.</p> <p>d) That each residential activity must provide for the exclusive use of the occupants:</p> <p>i) An off-road vehicle parking space or carport for at least one vehicle which complies with Appendices 17 and 18.</p> <p>ii) A service court with the minimum dimension of 3 metres by 3 metres.</p>	<p>The Council will restrict its discretion to the matters referred to in Rule 30.12. Any residential activity that is not accessory to a wastewater treatment activity or a rural activity will be a discretionary activity (refer to 30.13).</p>
<p>30.9 Scheduled Sites</p> <p>1. Any scheduled land use on a scheduled site is a permitted activity provided that:</p> <p>a) It must comply in all respects with the rules in Chapter 55 (Scheduled Sites).</p>	<p>The Council will restrict its discretion to the matters referred to in Chapter 55 (Scheduled Sites) of this Plan.</p>
<p>CONTROLLED ACTIVITIES</p>	<p>Matters the Council will restrict its discretion to for restricted discretionary activities.</p>
<p>30.10 Land Development (Including Subdivision, but excluding Multi Unit Development for Commercial and Residential Activities)</p> <p>1. Land development, including subdivision but excluding multi unit development for commercial and residential activities, is a controlled activity provided that:</p> <p>a) It must comply in all respects with the standards and terms specified in Chapter 66 (Volume II) of this Plan.</p> <p>b) It must comply in all respects with the relevant standards and terms in the Wastewater Treatment Zone Activity Table and Condition Table.</p> <p>c) It is assessed according to the matters in Chapter 66 (Volume II) over which the Council has reserved its control.</p> <p>2. Applications for resource consent will not be publicly notified in respect of land development (including subdivision) that fully complies with the standards and terms, and notice of applications need not be served.</p>	<p>The Council will exercise its discretion over the assessment criteria specified in Chapter 66 (Volume II - Code of Practice for Subdivision and Land Development) of this Plan.</p>
<p>30.11 Relocation of Buildings</p> <p>1. The relocation of a building from another site is a controlled activity provided that:</p>	<p>The Council will restrict its discretion to the matters referred to in Rule 30.12, including the following :</p> <ul style="list-style-type: none"> - The structural integrity of the building.

<p>a) It must comply in all respects with the relevant conditions in the Wastewater Treatment Zone activity table and condition table.</p> <p>b) A written assessment must be submitted with each application which must:</p> <p>i) State the condition of the building and the reinstatement works needed to bring the building up to an external visual appearance that is compatible with other buildings in the vicinity.</p> <p>ii) State the proposed timetable to complete external reinstatement of the building within 12 months from the date of consent.</p> <p>iii) Provide clear photographs of the building in its current state.</p> <p>iv) Provide such plans and elevations of the building as are necessary to illustrate the new site location and likely external design and appearance of the building as a result of reinstatement work.</p> <p>The Council shall exercise its control over the following:</p> <p>c) The design, materials and timetable of the proposed reinstatement works.</p> <p>d) The imposition of any financial contributions in accordance with Chapter 65 (Financial Contributions) of this Plan.</p> <p>e) The imposition of a performance bond to complete the reinstatement of the building.</p> <p>2. Applications for resource consent will not be publicly notified in respect of relocated buildings that fully comply with the standards and terms, and notice of applications need not be served.</p>	<ul style="list-style-type: none"> - The imposition of a performance bond. - The timing of reinstatement works. - The effects on the built character of the surrounding area. - The effects on amenity values. - The effects on infrastructural services.
RESTRICTED DISCRETIONARY ACTIVITIES	Matters the Council will restrict its discretion to for restricted discretionary activities.
<p>30.12 Land Uses Not Complying With Conditions</p> <p>1. Any subdivision, use or development of land referred to in Rules 30.2 to 30.11 that does not comply with all of the relevant conditions in the Wastewater Treatment Zone activity table and condition table, is a restricted discretionary activity, unless stated by a rule elsewhere in this Chapter.</p>	<p>The Council will have regard to the relevant objectives and policies of the Plan and will restrict its discretion to :</p> <ul style="list-style-type: none"> - The matters identified in the second column of the Wastewater Treatment Zone activity table and/or condition table. - The cumulative effect on non-compliance with more than one condition. - In respect of a controlled activity failing to comply with all of the relevant conditions, those matters the Council had reserved its control over. - The matters set out in Chapter 1.6.5. - The assessment criteria in Chapter 31 of this Plan where applicable.
DISCRETIONARY ACTIVITIES	
<p>30.13 Discretionary Activities</p> <p>1. The following land uses are discretionary activities. A resource consent application must be made and consent may be declined or granted with or without conditions. The Council will have regard to the objectives and policies of this Plan and the assessment criteria in Chapter 31. The Council's discretion is unrestricted.</p> <p>a) Any land use not stated by a rule elsewhere in this Chapter as a permitted activity, a controlled activity, a restricted discretionary</p>	

<p>activity, or a prohibited activity.</p> <ul style="list-style-type: none"> b) Any tyre storage activity that does not comply in all respects with the relevant conditions. c) Residential activities not accessory to a permitted activity. d) Commercial activities. e) Office accommodation not accessory to a permitted activity. f) Use of explosives other than for military training purposes. 	
PROHIBITED ACTIVITIES	
<p>30.14 Prohibited Activities</p> <ol style="list-style-type: none"> 1. There are no land uses that are a prohibited activity within the Wastewater Treatment Zone. 	

WASTEWATER TREATMENT ZONE – CONDITION TABLE

CONDITIONS FOR PERMITTED ACTIVITIES AND CONTROLLED ACTIVITIES	Matters the Council will restrict its discretion to for restricted discretionary activities.
<p>30.15 Yards</p> <p>1. The following yard conditions shall apply to all land uses:</p> <p>a) Front Yards</p> <p>i) Any part of a building (including eaves and guttering) must not be erected closer than 2 metres to the road boundary.</p> <p>b) Other Yards</p> <p>i) There is no side or rear yard condition, except that:</p> <p>ii) Any part of a building (including eaves and guttering), fence or permanently fixed structure must not be erected closer than 6 metres from the top of the bank of any watercourse or open drain.</p> <p>iii) No part of any building must be erected closer than 6 metres from the zone boundary of any land zoned other than Industrial, and that a minimum of a 2 metre wide landscaped area must be provided within this yard parallel to the site boundary. This landscaped area must create a visual screen between the site and the zone boundary to a height of at least 1.8 metres.</p>	<p>Matters:</p> <ul style="list-style-type: none"> - The effects on amenity values. - The effects on traffic and pedestrian safety. - The effects on water quality. - The effects of stormwater runoff. - The effects on the maintenance and enhancement of watercourses and open drains.
<p>30.16 Height in Relation to Boundary</p> <p>1. The following height in relation to boundary conditions shall apply to all land uses:</p> <p>a) No part of any building or structure shall project beyond a building envelope constructed by drawing planes along all parts of all site boundaries. The planes must commence 7.5 metres above ground level at the site boundary and must be inclined to the horizontal at an angle of 65 degrees.</p> <p>b) Provided that:</p> <p>i) In relation to multi-unit development, the building envelope must be constructed by drawing planes along all parts of all building site boundaries and must commence at the building site boundary.</p> <p>ii) Where the site abuts an entrance strip or access lot, the furthest boundary of the entrance strip or access lot may be deemed to be the site boundary for the purpose of applying the height in relation to boundary condition.</p> <p>iii) No account will be taken of aerials, lines, support structures, solar heating devices, air conditioning units and similar structures housing electronic or mechanical equipment or chimneys no more than 1 metre wide in any horizontal direction and less than 2.5 metres in height beyond the building envelope.</p>	<p>Matters:</p> <ul style="list-style-type: none"> - The availability of daylight to adjacent properties. - The effects on the privacy of adjacent properties and occupiers. - The scale and bulk of the building in relation to the site. - The effects on amenity values. <div data-bbox="986 1317 1503 1668" style="border: 1px solid black; padding: 10px; text-align: center;"> </div>
<p>30.17 Site Coverage</p> <p>1. The following site coverage conditions shall apply to all land uses:</p> <p>a) Site coverage (measured by gross building area) must not exceed 75% of the net site area.</p>	<p>Matters:</p> <ul style="list-style-type: none"> - The effects of stormwater runoff.

<p>30.18 Outdoor Storage</p> <p>1. The following outdoor storage conditions shall apply to all land uses:</p> <p>a) Outdoor storage areas, refuse storage areas or stockpiles:</p> <p>i) Must comply with the yard and height in relation to boundary conditions in the Wastewater Treatment Zone Condition Table.</p> <p>ii) Must be screened from the view of any adjacent residential zone or public open space. Acceptable screening would include, but is not limited to tree plantings or a fence or hedge at least 1.8 metres high.</p> <p>iii) Must be located on sealed and drained areas if they consist of decomposable material likely to generate contaminated leachate.</p>	<p>Matters :</p> <ul style="list-style-type: none"> - The effects on the shading of adjacent sites. - The effects on the visual amenity of area. - The effects on people's health and safety. - The nature and quantity of the material to be stored. - The method of disposal of both the solid material and/or liquid leachate. - The methods to be employed to avoid accidental discharges to ground. 																
<p>30.19 Noise</p> <p>1. The following noise conditions shall apply to all land uses other than those exempted in Rule 57.5:</p> <p>a) The following noise limits must not be exceeded at any point beyond the site boundary:</p> <table border="0" data-bbox="268 943 938 1025"> <tr> <td>Control Hours</td> <td>Noise Level</td> </tr> <tr> <td>On any day at all hours</td> <td>60 dB L_{Aeq} (15 min)</td> </tr> <tr> <td>On any day at all hours</td> <td>85 dB L_{AFmax}</td> </tr> </table> <p>b) Provided that, at any point within any Residential Environment, the following noise limits must not be exceeded:</p> <table border="0" data-bbox="268 1173 938 1317"> <tr> <td>Control Hours</td> <td>Noise Level</td> </tr> <tr> <td>0700 to 1900 hours</td> <td>55 dB L_{Aeq} (15 min)</td> </tr> <tr> <td>1900 to 2200 hours</td> <td>50 dB L_{Aeq} (15 min)</td> </tr> <tr> <td>2200 to 0700 hours the following day</td> <td>45 dB L_{Aeq} (15 min)</td> </tr> <tr> <td>2200 to 0700 hours the following day</td> <td>75 dB L_{AFmax}</td> </tr> </table> <p>c) All land uses must comply in all respects with the relevant conditions in Chapter 57 (Noise) of this Plan.</p> <p>d) The following minimum External Sound Insulation Level standards shall apply to all habitable rooms within any noise sensitive activity (including the addition or alteration of a habitable room which exceeds 10% of the existing gross floor area):</p> <p>(i) The habitable room within the noise sensitive activity shall achieve a minimum External Sound Insulation Level of the building envelope $D_{tr,2m,nTw} + C_{tr} > 30$ dB for outside walls of any habitable rooms.</p> <p>(ii) Where it is necessary to have windows closed to achieve the acoustic design requirements, an alternative ventilation system shall be provided. Any such ventilation system shall be designed to satisfy the requirements of the Building Code and achieve a level of no more than NC30 in any habitable room.</p> <p>(iii) An acoustic design report must be provided to the Council prior to any building consent being granted or where no building consent is required, prior to the</p>	Control Hours	Noise Level	On any day at all hours	60 dB L _{Aeq} (15 min)	On any day at all hours	85 dB L _{AFmax}	Control Hours	Noise Level	0700 to 1900 hours	55 dB L _{Aeq} (15 min)	1900 to 2200 hours	50 dB L _{Aeq} (15 min)	2200 to 0700 hours the following day	45 dB L _{Aeq} (15 min)	2200 to 0700 hours the following day	75 dB L _{AFmax}	<p>Matters:</p> <ul style="list-style-type: none"> - The sound level likely to be generated. - The nature and frequency of the noise including any special audible characteristics. - The compatibility within the neighbourhood. - The effects of noise on amenity values. - The length of time for which specified noise levels is exceeded, especially at night. - The likely adverse effects on-site and beyond the site. - The mitigation measures to reduce noise generation.
Control Hours	Noise Level																
On any day at all hours	60 dB L _{Aeq} (15 min)																
On any day at all hours	85 dB L _{AFmax}																
Control Hours	Noise Level																
0700 to 1900 hours	55 dB L _{Aeq} (15 min)																
1900 to 2200 hours	50 dB L _{Aeq} (15 min)																
2200 to 0700 hours the following day	45 dB L _{Aeq} (15 min)																
2200 to 0700 hours the following day	75 dB L _{AFmax}																

<p>commencement of the use. The acoustic design report must be prepared by a person qualified and experienced in acoustics. The report is to indicate the means by which the noise limits specified in this rule will be complied with and is to contain a certificate by its author that the means given therein will be adequate to ensure compliance with the acoustic design requirements specified in this rule.</p> <p>iv) Prior to any person requesting a Certificate of Compliance, an acoustic design certificate prepared by a person qualified and experienced in acoustics must be supplied, verifying compliance with the standards in (c) above.</p>	
<p>30.20 Light Spill</p> <p>1. The following light spill conditions shall apply to all land uses:</p> <p>a) At no time between the hours of 2200 and 0700 must any outdoor lighting, except road lighting, be used in a manner that the use of such lighting causes an added illuminance in excess of 20 lux measured horizontally or vertically as an average (at a height of 1.5 meters above the ground) along the boundary of the site on which the source light is located. Where the site adjoins a road or road reserve compliance with the standard will be measured at the centre of the road along the distance of the site boundary adjoining that road.</p> <p>b) At no time between the hours of 2200 and 0700 must any outdoor lighting be used in a manner that the use of such lighting causes an added illuminance in excess of 10 lux measured horizontally or vertically at any window of an adjacent building within a residential zone.</p> <p>c) The outdoor lighting must be so selected, located aimed, adjusted, screened and maintained to ensure that glare resulting from the lighting does not cause significant adverse effects on the occupants of residential activities, road users or aircraft.</p> <p>NOTE: Where the measurement of any added illuminance cannot be made because any person refuses to turn off outdoor lighting, measurements may be made in locations which the Council considers is of a similar nature which are not affected by such outdoor lighting. Those measurements may be used to determine the added illuminance, if any, of the subject lighting. Measurement should be made in clear sky conditions, or should take into account the effect of weather conditions on illuminance.</p>	<p>Matters:</p> <ul style="list-style-type: none"> - The orientation, strength, intensity, colour and frequency of any light. - The effects on traffic safety. - The positive effects on pedestrian safety. - The effects on amenity values. - The effects on the health, safety, security and wellbeing of people.
<p>30.21 Vibration</p> <p>1. The following vibration conditions shall apply to all land uses:</p> <p>a) Land uses must not generate a vibration that causes an unreasonable adverse effect on any adjacent land use.</p>	<p>Matters:</p> <ul style="list-style-type: none"> - The effects on public health. - The effects on the structural integrity of adjacent buildings and facilities. - The effects on amenity values of the area.
<p>30.22 Odour and Dust</p> <p>NOTE: The discharge of contaminants (including odour and dust) onto or into air, land or water is regulated by the Hawke's Bay Regional Resource Management Plan and may require resource consent approval. Contact the Hawke's Bay Regional Council for advice.</p>	

<p>30.23 Stormwater Runoff</p> <p>1. The following stormwater runoff conditions shall apply to all industrial activities:</p> <p>a) All sites must be drained in a manner to ensure that stormwater generated on the site is unable to directly enter via surface runoff the following watercourse:</p> <ul style="list-style-type: none"> • Waitangi Drain <p>b) Where a site is used for an industrial activity that was not in existence as at 11th November 2000, interceptor traps must be used to remove sediment, floating debris and oil products from all stormwater collected from the site, including general yards and storage areas, prior to its discharge to the Napier City Council reticulated stormwater system or private discharges to the above watercourse.</p>	<p>Matters:</p> <ul style="list-style-type: none"> - The effects on water quality.
<p>30.24 Fences</p> <p>1. The following fencing conditions shall apply to all land uses:</p> <p>a) Any fence erected with a front, side or rear yard must not exceed 2 metres in height.</p>	<p>Matters:</p> <ul style="list-style-type: none"> - The effects on amenity values. - The effects on traffic and pedestrian safety. - The shading effects on adjacent properties. -
<p>30.25 Aerials, Lines and Support Structures</p> <p>1. The following conditions shall apply to all aerials, lines and support structures other than for the purposes of a network utility operation:</p> <p>a) Aerials, lines and/or support structures must not exceed 15 metres in height.</p> <p>b) Dish antenna must not exceed 5 metres in diameter.</p> <p>c) Where an aerial, line or support structure exceeds 7 metres in height above the point of its attachment or base support, it must also comply with the following conditions:</p> <p>i) The distance from the centre to the furthest element tip must not exceed 7.5 metres in a horizontal direction.</p> <p>ii) There must be no more than one such structure on the site.</p> <p>d) The aerial, line and/or support structure must comply with the conditions relating to yards and height in relation to boundary stated in the Wastewater Treatment Zone condition table.</p>	<p>Matters:</p> <ul style="list-style-type: none"> - The effects on amenity values. - The scale in relation to adjacent buildings. - The bulk and form of the aerial, line and any support structures. - The effects of shading. - The extent to which heritage or cultural values are adversely affected. - The cumulative effect of additional aerials, lines and support structures. - The prominence of site taking into account significant public views and any significant landscapes. - The effects on public health and safety.
<p>30.26 Earthworks</p> <p>1. The relevant provisions of Chapter 52A (Earthworks) of this Plan must be complied with.</p>	<p>Matters:</p> <p>Refer to Chapter 52A (Earthworks) of this Plan.</p>
<p>30.27 Heritage</p> <p>1. The relevant provisions of Chapter 56 (Heritage) of this Plan must be complied with.</p>	<p>Matters :</p> <p>Refer to Chapter 56 (Heritage) of this Plan.</p>
<p>30.28 Signs</p> <p>1. The relevant provisions of Chapter 58 (Signs) of this Plan must be complied with.</p>	<p>Matters:</p> <p>Refer to Chapter 58 (Signs) of this Plan.</p>
<p>30.29 Trees</p> <p>1. The relevant provisions of Chapter 60 (Trees) of this Plan must be complied with.</p>	<p>Matters:</p> <p>Refer to Chapter 60 (Trees) of this Plan.</p>

<p>30.30 Transport</p> <p>1. The relevant provisions of Chapter 61 (Transportation) of this Plan must be complied with.</p>	<p>Matters:</p> <p>Refer to Chapter 61 (Transport) of this Plan.</p>
<p>30.31 Natural Hazards</p> <p>1. The relevant provisions of Chapter 62 (Natural Hazards) of this Plan must be complied with.</p>	<p>Matters:</p> <p>Refer to Chapter 62 (Natural Hazards) of this Plan.</p>
<p>30.32 Hazardous Substances</p> <p>1. The relevant provisions of Chapter 63 (Hazardous Substances) of this Plan must be complied with.</p>	<p>Matters:</p> <p>Refer to Chapter 63 (Hazardous Substances) of this Plan.</p>
<p>31.33 Activities on the Surface of Water</p> <p>1. The relevant provisions of Chapter 62A (Activities on the Surface of Water) of this Plan must be complied with.</p>	<p>Matters:</p> <p>Refer to Chapter 62A (Activities on the Surface of Water) of this Plan.</p>
<p>30.34 Contaminated Sites</p> <p>1. The relevant provisions of Chapter 64 (Contaminated Sites) of this Plan must be complied with.</p>	<p>Matters:</p> <p>Refer to Chapter 64 (Contaminated Sites) of this Plan.</p>
<p>30.35 Financial Contributions</p> <p>1. The relevant provisions of Chapter 65 (Financial Contributions) of this Plan must be complied with.</p>	<p>Matters:</p> <p>Refer to Chapter 65 (Financial Contributions) of this Plan.</p>
<p>30.36 Code of Practice for Subdivision and Land Development</p> <p>1. The relevant provisions of Chapter 66 (Volume II - Code of Practice for Subdivision and Land Development) of this Plan must be complied with.</p>	<p>Matters:</p> <p>Refer to Chapter 66 (Volume II - Code of Practice for Subdivision and Land Development) of this Plan.</p>

THIS PAGE IS INTENTIONALLY BLANK