

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	General Approach /Zoning of roads, railways, and rivers	151.1	Support	Supports this approach, and notes that the zoning of roads is shown on the planning maps	Retain the zoning of roads as shown on the notified planning maps
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /ANTENNA	151.2	Amend	Support having a definition, but the origin of the definition should be included, being the National Environmental Standard for Telecommunication Facilities 2016	Amend the definition to <u>has the same meaning as Section 4 of the Resource Management (National Environmental Standards for Telecommunication Facilities) Regulations 2016 being:</u> <u>means a device that receives or transmits radiocommunication or telecommunication signals, but not a small cell unit</u>
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /CABINET	151.3	Amend	Seeks amendment as per the definition for Antenna, include the NESTF as the origin for the definition.	Amend to use same introductory wording as per the Antenna definition
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /FUNCTIONAL NEED	151.4	Support	Supports the definition of functional need	Retain the definition of functional need
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /INFRASTRUCTURE	151.5	Support	Supports the definition of infrastructure.	Retain the definition of infrastructure
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /MAINTENANCE (NETWORK UTILITIES)	151.6	Support	Supports definition of maintenance for network utilities	Retain the definition of maintenance (network utilities) as notified
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /MINOR UPGRADING OF NETWORK UTILITIES	151.7	Oppose	Opposes as there is no need for the definition, as the parameters as to what constitutes minor upgrading are effectively defined in INF-R2	Delete the definition
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /NETWORK UTILITY	151.8	Support	Supports definition of network utility	Retain the definition of network utility as notified.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /NETWORK UTILITY OPERATOR	151.9	Support	Supports definition of network utility operator	Retain the definition of network utility operator as notified.

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /REVERSE SENSITIVITY	151.10	Amend	Supports the definition of reverse sensitivity, however it is unclear what the term "vulnerable" means in the definition as notified	Amend the definition as follows means the vulnerable potential for the operation of an existing lawfully established activity to be compromised, constrained, or curtailed by the more recent establishment or alteration of another activity which may be sensitive to the actual, potential, or perceived adverse environmental effects generated by the existing activity or structure.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /TEMPORARY INFRASTRUCTURE	151.11	Support	Supports definition of temporary infrastructure	Retain the definition of temporary infrastructure as notified.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /UPGRADING (NETWORK UTILITIES)	151.12	Amend	Supports a definition of upgrading and it is noted the definition differentiates from 'maintenance' which is also a defined term in the PDP. Considers that 'Minor Upgrading of Network Utilities' is also defined in the PDP, and the definition of upgrading should also differentiate from that term.	Amend the definition as follows: as it applies to network utilities, means the replacement, repair or renewal or improvement or increase in carrying capacity, operational efficiency, security or safety of existing network utilities but excludes 'maintenance' and 'minor upgrading of network utilities'.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Abbreviations /Abbreviations /NESTF Resource Management (National Environmental Standards for Telecommunication Facilities) Regulations 2016	151.13	Support	The abbreviation NESTF is appropriate and necessary	Retain the NESTF abbreviation as notified.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	National environmental standards /National Environmental Standards /	151.14	Support	Supports the cross reference to the NESTF	Retain this section as notified.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Regulations /Regulations /	151.15	Support	Supports recognising the Resource Management (Network Utility Operations) Regulations 2016	Retain the Regulations section as notified.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /INFRASTRUCTURE	151.16	Support	Supports definition of infrastructure	Retain the definition of infrastructure
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SD - Transport and Infrastructure Provision /Strategic Objectives	151.17	Amend	Supports the intent of the objective however telecommunications should also be included. Telecommunications support economic growth alongside the other infrastructure which is mentioned. Telecommunications provides for people and business to connect with each other on a local, regional, national and international scale, and is essential for everyday modern economies.	Amend the objective as follows: Infrastructure that supports economic growth, including the port, airport, transportation, <u>telecommunication networks</u> and electricity transmission networks, is enabled and protected.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SD - Transport and Infrastructure Provision /Strategic Objectives	151.18	Support	Considers that the Objective is appropriate, however it is noted that the PDP does not define what 'significant infrastructure' is.	Retain the objective and add a definition of 'significant infrastructure'

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /	151.19	Amend	Considers that a definition of 'Significant Infrastructure' is needed, as this is a term which is defined elsewhere in the PDP. Notes that the Hawke's Bay RPS has a definition of 'Strategic Infrastructure' which is out of date, but includes reference to 'strategic telecommunication networks'. The PDP definition of significant infrastructure should be based on the RPS definition of strategic infrastructure, but include reference to 'telecommunication networks' not 'strategic telecommunications networks'	Add a definition of Significant Infrastructure and ensure that it includes reference to telecommunication networks
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SD - Urban Form and Development /Objectives	151.20	Support	Supports as it is important that infrastructure and land use planning are integrated.	Retain the objective as notified
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /Introduction /	151.21	Support	Considers a cross reference to explain the other regulations which influence some network utilities in the city is appropriate.	Retain this paragraph as notified
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /Introduction	151.22	Amend	Considers it is not clear how the NU chapter interrelates with the other chapters in the PDP. Under the National Planning Standards, all rules relating to Network Utilities are to be contained in the NU Chapter. This should be made clear to plan users in the introduction to the NU Chapter.	Amend the introduction as follows: Provisions to manage the effects of other activities on network utilities (including state highway and rail corridors, the electricity distribution network, the National Grid, and gas transmission pipelines) are contained, in the relevant chapters for zones and precincts, special overlays, and district-wide chapters such as the Noise chapter. <u>However, all rules relating to the operation, maintenance, upgrading and construction of new network utilities are contained within this chapter. As such no other chapters in the plan need to be considered for the operation, maintenance, upgrading and construction of new network utilities in Napier City.</u>
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /Objectives /NU-O1: Essential role of network utilities	151.23	Support	This objective is appropriate and is supported.	Retain the objective as notified
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /Objectives	151.24	Support	Supports objective, particularly as it recognises the practicability of avoiding, remedying and mitigating actual and potential adverse effects, as well as the functional and operational needs of network utilities.	Retain the objective as notified.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /Objectives	151.25	Support	Supports objective as it is appropriate.	Retain the objective as notified.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /Policies /NU-P1: Essential role of network utilities	151.26	Support	Supports as the policy appropriately recognises the role of network utilities and guides what decision makers should be focussed on when considering resource consent applications	Retain the policy as notified

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /Policies	151.27	Amend	Considers that the policy's consideration of adverse effects is narrow, and does not consider the nuance provided in NU-02 relating to practicability and operational and functional needs.	Amend the policy as follows: Require the development, operation, maintenance, repair, upgrading, and removal of infrastructure to avoid, remedy, or mitigate adverse effects as far as practicable, including by: a. avoiding, remedying or mitigating adverse effects on: ... e. encouraging the removal of redundant and superseded above ground network utility facilities. <u>whilst considering the functional need and operational need of the network utility</u> Relates to NU-02
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /Policies	151.28	Support	Supports as the policy recognises the functional and operational needs of protected areas and sites of significance.	Retain the policy as notified
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /Policies	151.29	Support	Supports as the policy, in particular through subclause (i) appropriately protects telecommunication networks from reverse sensitivity effects. Telecommunications activities can be adversely affected by land use which is too close and too high to mobile phone facilities, essentially building into the radiofrequency plume, and making what was a permitted telecommunications activity a non-complying one. Considers it is imperative therefore that in all zones, reverse sensitivity effects on network utilities must be considered for proposed buildings which exceed the permitted height limit.	Retain the policy as notified
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Rules Table /NU-R1A	151.30	Support	Supports as the rule is appropriate for the ongoing operation of existing network utilities	Retain the rule as notified
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Rules Table /NU-R2A	151.31	Amend	Considers that the rule appropriately provides for the ongoing operation of existing network utilities however clarification is necessary around what is the 'face area' of an antenna, and a definition is necessary for the work "tower" so that this is clearly understood, including how it is different from a "pole" (noting "pole" is defined in the NES-TF)	Amend the rule as follows:NU-R2A ... 10. Where a new antenna replaces an existing antenna, the new antenna must not: a. <u>where it is a panel antenna</u> , exceed the maximum front face area of the existing antenna by more than 20%, and b. where it is a dish antenna, exceed the diameter of the existing antenna by more than 20%. ...
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Rules Table /NU-R4A	151.32	Amend	Supports rule in principle, however it should define what activities are ancillary to the primary function of Hawke's Bay Airport so that it is clear in the rule.	Amend the rule to detail what activities are considered ancillary to the primary function of Hawke's Bay Airport
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Rules Table /NU-R6A	151.33	Support	Supports as the rule is clear for all network utility construction. An elevation to Restricted Discretionary is appropriate.	Retain the rule as notified.

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Rules Table /NU-R11A	151.34	Amend	Supports permitted provision for temporary network utilities however, temporary network utilities give rise to temporary effects. Subclause (4) requires compliance with all network utility standards. This means there is no additional benefit to a temporary facility over and above a permanent one in the same location. Considers that while it is appropriate that some network utility standards are met, it is not essential for all standards to be met.	Amend the rule as follows:NU-R11A Where: 1. The activity operates for a maximum of 12 months; 2. The temporary network utility and associated buildings and structures are removed from the site when the operation of the activity ceases; 3. Where the temporary network utility is within road reserve, the site is reinstated in accordance with conditions specified in the National Code of Practice for Utility Operators' Access to Transport Corridors (15 July 2019); 4. The activity complies with relevant standards (NU-S1 – NU-S11) NU-S5, NU-S6, NU-S7, ; 5. The activity complies with standard NU-S12 (Radio Frequency Fields) and standard NU-S13 (Electric and Magnetic Fields); and 6. The activity is not within the National Grid Yard.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Rules Table /NU-R12A	151.35	Oppose	Opposes as controlled Activity status in more sensitive zones can be appropriate however, in reviewing the PDP, the zones listed do not appear to exist. As such the rule should be deleted.	Delete the rule as notified
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Standards Table	151.36	Amend	Notes that under the NESTF, there is no setback required for a telecommunication structure located in legal road where that road adjoins a railway line. Considers that it would be appropriate to have the same provision for other network utility structures, otherwise structures with the same effect are permitted or restricted discretionary in the same location depending on who the network utility operator is.	Amend the standard as follows: ... 1. The following minimum setbacks for network utilities from the rail corridor boundary must be provided as follows: a. any part of an above ground building or structure - 2 m nil (where located within road reserve).
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Standards Table /NU-S12: Radio frequency fields	151.37	Amend	Considers that the standard is inconsistent with current best practice for radiofrequency, detailed in the NES-TF, and as such should be updated. Notes that NZS2772.1 details measurement points, methods and these are well understood and used everyday by the telecommunications industry.	Amend the standard as follows: NU-S12: Radio frequency fields ... 1. If generating radio frequency fields, the activity must not exceed the maximum exposure level of the general public in be installed and operated in accordance with New Zealand Standard NZS 2772.1:1999 Radiofrequency fields – Maximum exposure levels – 3 kHz to 300-GHz at: a. any point beyond the site boundary and less than 5 m in height above ground level where the land is not occupied by a building, and b. any point beyond the site boundary and less than 2 m above a building, roof, or balcony on any land beyond the site boundary. 2. Subject to the express provisions of this condition, the maximum general public exposure levels must be measured in accordance with New Zealand Standard NZS6609:1990 (Part 2- Principles and Methods of Measurement).

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Standards Table /NU-S3: Height for above ground structures (other than buildings)	151.38	Amend	Notes that Mobile telecommunication facilities rely on line of sight for optimal function. Increased antenna height improves coverage by surpassing local 'clutter' such as buildings and trees. Considers that as well as these provisions affecting potential future sites, they also create a potential reverse sensitivity effect on existing sites. Proposed building height provisions in the PDP may obstruct mobile telecommunication facilities. Notes that greater building height alters radiofrequency exposures, necessitating compliance with safety standards as it potentially allows people to be exposed to greater levels of radiofrequency, and changes the activity status of an existing or permitted facility from permitted to non-complying under the NESTF. Support city densification but highlight the need to upgrade existing networks with provision in the PDP. Considers the inclusion of The need for increased mobile telecommunication facility heights as part of the densification of cities in New Zealand is recognised in the recently released Targeted engagement draft - Natural and Built Environment (Transitional National Planning Framework) Regulations from the Ministry for the Environment, which in its final form will be utilised in plans made under the Natural and Built Environment Act 2023. In relation to mobile telecommunication facility heights, draft Regulation 13.2.33 proposes a height of 17m in areas zoned for residential and local centre activities, 20m in areas zoned for neighbourhood centre activities, and 25m in other zones. These heights are generally supported.Considers an alternative approach suggests allowing mobile facility heights 5m taller than permitted building heights which mitigates clutter and radiofrequency effects as those adopted in New Plymouth and similar considerations are under review in other districts PDPs, including Wellington and Timaru. Refer to original submission for full detail.	Delete the standard and replace <u>Pole heights</u> <u>1. In Legal Road</u> <u>a. Maximum permitted height adjoining residential zones (excluding medium or high-density residential zones) is zone building height plus 5 metres or 17m whichever is the larger</u> <u>b. Maximum permitted height adjoining all medium or high-density residential zones is zone building height plus 5 metres</u> <u>c. Maximum permitted height of 20 metres adjoining a local centre or neighbourhood zone; or</u> <u>d. Maximum permitted height of 35 metres adjoining Rural zones; or</u> <u>e. Maximum permitted height of 17 metres adjoining areas</u> <u>f. Adjoining all other zones maximum permitted height is the greater of either 25 metres or the relevant building height for the adjoining zone, plus 5 metres.</u> <u>2. Maximum height in Residential zones is 17m or 5m plus zone building height which ever is the greater.</u> <u>3. Maximum height in local centre zones is 20m with a setback of 3m plus 450 if adjoining a residential zone</u> <u>4. Maximum of 25m in all other commercial, industrial, recreational, hospital zones or the zone building height, plus 5 metres whichever is greater</u> <u>5. Maximum of 35m in rural zones or 40m if there are two or more operators on the facility.</u> <u>6. A further 5 metres in height, where two or more facility operators are co-located on the same pole in all zones except for a residential zone</u>
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Standards Table /All zones and associated precincts	151.39	Amend	Notes that there appears to be a typo in the standard for panel antenna size. 20m2 as permitted is generous. 2.5m2 is more appropriate. 1.5m2 in other zones provides better alignment with the NESTF. clarification should be provided for which face of a panel antenna the standards apply to.	Amend the standard as follows: 4. Panel antennas must not: a. exceed 2.0 m2 in <u>front face area</u> any commercial and mixed use zones, industrial zones, or airport zones and associated precincts; b. exceed 1.25 m2 <u>frontface area</u> in all other zones, and c. when located within road reserve, must fit within an envelope of 3.5 m in length and 0.7m in width.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Standards Table /All zones and associated precincts	151.40	Support	Supports as telecommunication companies will put up signs explaining they have provided a new service to an area. The standard as notified is appropriate for this purpose.	Retain the standard as notified.

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SW - Stormwater /SW - Stormwater - Rules Table /SW-R3: Buildings, structures, and earthworks on sites with overland flow paths	151.41	Amend	Notes that Regulation 57 of NESTF exempts regulated activities from District Plan natural hazard rules because resilience is already factored into industry practice, and they will either avoid hazard areas or engineer structures to be resilient to the hazard risk due to industry practice referred to in the Resource Management (National Environmental Standards for Telecommunication Facilities) Regulations 2016 Users' Guide Industry practices mean that telecommunication companies rely on local authorities to identify hazards and have resilience requirements. Telecommunication network resilience includes avoiding hazards and designing infrastructure for resilience under the Civil Defence Emergency Management Act 2002 (CDEMA). Notes that Telecommunication network resilience comes from a variety of ways and is constantly evolving and learning from the events response assessments. Automatic failover arrangements ensure connectivity during emergencies. The Building Code does mandate standards around critical buildings housing telecommunications equipment though design standards for other components of the network, such as mobile facilities, are not prescribed. Crown Infrastructure Partners as part of Government managed initiatives such as ultra-fast (UFB 1 & 2) and rural broadband infrastructure (RBI 1 & 2) rollouts or the Blackspots initiative, does have a prescribed construction standard. Although there is no network construction standard outside those contractually managed by Crown Infrastructure Partners, the telecommunication companies constantly review their networks. Regulatory oversight includes Commerce Commission monitoring and MBIE regulations. Some councils, like Kaikoura, have accepted the exemption of telecommunication networks from further regulation.Consistency between NESTF regulated activities and other telecommunication activities should be maintained by exempting telecommunication networks from stormwater provisions in the PDP. Refer to original submission for full details	Amend the rule so that it clearly exempts activities associated with telecommunication networks as follows: <u>This rule do not apply to activities associated with telecommunication networks.</u>
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	HH - Historic heritage /Objectives /HH-O2: Continued use and appreciation	151.42	Amend	Supports ongoing use of heritage buildings. Notes that for such buildings to sustain their usefulness, the need to be serviced by modern infrastructure. As such, provision should be made in the Network Utilities chapter allowing for the ongoing use of heritage buildings, given that the Network Utility chapter states there should be a " a single set of rules be provided that apply across the District"	Include the objective in the NU chapter
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	HH - Historic heritage /Policies	151.43	Amend	Supports and considers that a similar policy should be included in the Network Utility chapter, given that the Network Utility chapter states there should be a " a single set of rules be provided that apply across the District".	Include a similar policy in the NU chapter.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Rules Table /	151.44	Amend	Seeks a new rule in order to ensure that customer connections to heritage buildings are permitted. Considers that new customer connections provide for the adaptive reuse of buildings, and by having appropriate permitted activity standards, adverse effects on the heritage item can be avoided, remedied or mitigated.	Add a new rule as follows: <u>NU-RX Customer connections to a heritage building</u> <u>Activity Status: Permitted</u> <u>Where:</u> <u>Customer connections to heritage buildings where the customer connection shall not be attached to a primary feature or front façade of the heritage building or item.</u> <u>Activity status where not achieved: Discretionary</u>
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /Assessment Criteria	151.45	Amend	Considers that the objective and policy framework recognises functional need and operational need. The assessment criteria should follow suit.	Amend the assessment criteria as follows: <u>f. Whether there are any characteristics, technical requirements, functional needs or operational needs of the proposed use that will make compliance impracticable</u>
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	TREE - Notable Trees /TREE - Notable Trees - Rules Table	151.46	Oppose	Opposes as Network utility operators often work in tree driplines, and generally follow the process outlined in TREE-R1. As the trimming and pruning occurs as per TREE-R1, a blanket requirement for network utility operators to require resource consent in the dripline of notable tree's is unnecessary. A permitted rule should be provided in the NU chapter.	Delete TREE-R5 and rely on the other rules which apply to works within the dripline of notable trees, with the rules being located in the NU chapter.

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	TREE - Notable Trees /TREE - Notable Trees - Rules Table /TREE-R6: Any earthworks within the dripline of a notable tree	151.47	Amend	Considers that there are known and accepted methods for earthworks in the dripline of notable trees, and these should be included as permitted activities in the rule. The rule should be located in the NU Chapter.	Add permitted provision for earthworks in the dripline of notable trees into a new rule in the NU Chapter, with the permitted thresholds being the following: <u>earthworks for the purpose of installing underground network utilities, including customer connections, provided these are:</u> i. <u>no shallower than 1m below ground level;</u> ii. <u>installed by hand-digging or trenchless means (such as air spade, hydro vac or directional drilling methods); and</u> iii. <u>have an entry point either outside of the root protection area or that has an area of less than 1m2;</u>
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	OVR1 - Harbour Reserve Historic Heritage Overlay /OVR1 - Harbour Reserve Historic Heritage Overlay - Rules Table	151.48	Support	Considers that it needs to be confirmed that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.	Seeks confirmation that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	OVR2 - Coronation Street Historic Heritage Overlay /OVR2 - Coronation Street Historic Heritage Overlay - Rules Table	151.49	Amend	Considers that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.	Seeks confirmation that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	OVR3 - Marewa Post-War Historic Heritage Overlay /OVR3 - Marewa Post-War Historic Heritage Overlay - Rules Table	151.50	Amend	Considers that confirmation is needed, due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.	Seeks confirmation due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	OVR4 - Marewa State Housing Historic Heritage Overlay /OVR4 - Marewa State Housing Historic Heritage Overlay - Rules Table /	151.51	Amend	Considers that it needs to be confirmed that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.	Seeks confirmation that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	OVR5 - Napier South Historic Heritage Overlay /OVR5 - Napier South Historic Heritage Overlay - Rules Table	151.52	Amend	Considers that confirmation is needed, due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.	Seeks confirmation that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	OVR6 - Tram Shelter Historic Heritage Overlay /OVR6 - Tram Shelter Historic Heritage Overlay - Rules	151.53	Amend	Considers it needs to be confirmed that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.	Seeks confirmation that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	OVR7 - Te Awa Bungalow Historic Heritage Overlay /OVR7 - Te Awa Bungalow Historic Heritage Overlay - Rules Table	151.54	Amend	Considers that It needs to be confirmed that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.	Seeks confirmation that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	OVR8 - Iron Pot Heritage Overlay /OVR8 - Iron Pot Heritage Overlay - Rules Table	151.55	Amend	Considers that it needs to be confirmed that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.	Seeks confirmation that due to the presence of this provision, that the customer connection to heritage buildings or items as sought in this submission applies to this heritage overlay.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NFL - Natural Features and Landscape /Policies	151.56	Amend	Considers that recognition of functional and operational need should be provided in the policy. A similar policy should be included in the NU Chapter of the PDP.	Move the policy to the NU chapter and amend it as follows: Avoid locating network utilities on prominent positions and/or ridgelines within outstanding natural features and special character features, <u>while considering any functional needs or operational needs of the network utility.</u> Mitigate the adverse effects of network utilities on special character landscapes, <u>while considering any functional needs or operational needs of the network utility.</u>
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NFL - Natural Features and Landscape /NFL - Natural Features and Landscapes - Rules Table /NFL-R1A	151.57	Amend	Considers that an allowance for trenching, which typically is narrow and is cut and covered in a short (day or two) period of time should be included in the rule as adverse effects are temporary. This should be included in the NU Chapter.	Amend the rule as follows and include it in the NU chapter 1. The maximum amount of earthworks, <u>excluding any trenching</u> in any 12-month period does not exceed 50 m3 per site;
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NFL - Natural Features and Landscape /NFL - Natural Features and Landscapes - Rules Table /NFL-R2A	151.58	Amend	Considers that telecommunication structures in such landscapes, given their slimline nature as well as their functional and operational needs (including compliance with radiofrequency standards) should be higher than 3m. Notes that 8m is permitted in Queenstown Lakes District Council's Outstanding Natural Landscapes.	Amend the rule as follows and place it in the NU chapter: 1. No part of a building or structure: a. exceeds 3 m in height (<u>except for telecommunication structures, which can be 8m in height</u>);
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NFL - Natural Features and Landscape /NFL - Natural Features and Landscapes - Rules Table /NFL-R3: Buildings or structures within a special character landscape (excluding the Special Purpose Airport Zone)	151.59	Amend	Considers that telecommunication structures in such landscapes, given their slimline nature as well as their functional and operational needs (including compliance with radiofrequency standards) should be higher than 3m. Notes that 8m is permitted in Queenstown Lakes District Council's Outstanding Natural Landscapes.	Amend the rule as follows and place it in the NU chapter: 1. No part of a building or structure: a. exceeds 3 m in height (<u>except for telecommunication structures, which can be 8m in height</u>);
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SUB - Subdivision /Objectives	151.60	Support	Supports as integration between land use and infrastructure is necessary.	Retain the objective as notified
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SUB - Subdivision /Policies	151.61	Support	Supports the intent of policy	Retain the policy as notified
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SUB - Subdivision /Policies	151.62	Amend	Considers that it is unclear whether this submission applies in addition to SUB-P9. . If SUB-P9 is only for urban areas, then requirements for new allotments in rural areas to be able to connect to telecommunications networks should be included.	Amend the policy as follows ... b. Manage the design and location of subdivision to avoid the close proximity of multiple access points on rural roads. C. <u>Provide for connectivity to telecommunications networks</u>

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SUB - Subdivision /Policies /SUB-P13: Network utilities	151.63	Support	Supports as the policy is appropriate	Retain the policy as notified
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SUB - Subdivision /SUB - Subdivision - Rules Table /SUB-R1: Subdivision	151.64	Support	Supports controlled activity status for subdivision, with infrastructure as a matter of control	Retain the rule as notified.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SUB - Subdivision /SUB - Subdivision - Rules Table /SUB-R3A	151.65	Support	Supports not requiring subdivision for network utilities to meet certain standards that are not necessarily relevant	Retain the rule as notified
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SUB - Subdivision /SUB - Subdivision - Standards Table	151.66	Amend	Supports standard however considers that telecommunications connections do not necessarily have to be physical and this should be recognised in the standard. The ability to connect to a telecommunication network should be confirmed by a telecommunication company.	Amend the standard as follows: 1. Each allotment must be designed and located so that provision is made for power lines, gas distribution pipes (where available) and <u>the ability to connect to a telecommunication network lines.</u>
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	EW - Earthworks /EW - Earthworks - Rules Table	151.67	Amend	Considers that the zone rules should not apply to network utilities	Amend as follows Zone rules apply in addition to the activities below (<u>noting these do not apply to district-wide matters</u>). Earthworks rules are also found in the following chapters:
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	EW - Earthworks /EW - Earthworks - Rules Table /EW-R5: Earthworks or land disturbance for network utilities by a network utility operator, including vehicle access tracks for network utilities	151.68	Support	Supports specific earthworks rule for network utilities, but should be located in the NU Chapter.	Retain the rule as drafted but amend to locate it in the NU chapter.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	EW - Earthworks /EW - Earthworks - Standards Table /All zones	151.69	Amend	Considers that earthworks which do not alter the ground level, such as trenching, should not require the same setbacks from streams and overland flow areas. Further, they should be located in the NU chapter.	Amend the standard as follows, and place it in the NU Chapter: 1. Cut and fill does not exceed 2.5 m vertically. 2. The cut and fill depth, <u>where at the completion of the earthworks result in a change to the ground level</u> , does not exceed the distance from the nearest site boundary as measured on a horizontal plane. 3. The cut and fill depth does not exceed 1 m vertically where the top of the excavation is within 10 m of buildings or surcharge loads. 4. The cut or fill, <u>where at the completion of the earthworks result in a change to the ground level</u> , is no closer than (measured on a horizontal plane):
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /OPERATIONAL NEED	151.70	Support	Supports as the definition is as per the National Planning Standards, and is appropriate	Retain the definition as notified

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /Introduction	151.71	Amend	Strongly supports this introductory wording "it is considered appropriate that a single set of rules be provided that apply across the District". Considers that, to follow the method of other recently notified plans and to provide further clarification, additional wording is proposed which makes it clear that only the NU chapter is applicable to network utility activities.	Amend the introduction as follows: To achieve this, the network utility provisions in the District Plan provide for the establishment, operation, and maintenance of network utilities throughout the district while managing their adverse effects on the environment (particularly in sensitive environments such as the coastal environment, outstanding and significant landscapes, significant natural areas, areas containing cultural or historic heritage values, and areas subject to natural hazards). As many network utilities are lineal and traverse many parts of the district, it is considered appropriate that a single set of rules be provided that apply across the District. <u>Therefore there is no requirement for activities defined as network utilities to consider the provision of the district-wide chapters relevant for Hazards and Risks, Historical and Cultural Values, Natural Environmental Values, or the zone chapters.</u>
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /OPERATIONAL NEED	151.72	Support	Supports the definition of Operational Need	Retain the definition
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /ROAD	151.73	Support	The definition of Road	Retain the definition of Road
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SD - Transport and Infrastructure Provision /Issues	151.74	Amend	Considers that all infrastructure providers have limited resources and significant infrastructure costs and this statement adds no value to the issue.	Amend the issue as follows: Infrastructure is required to enable growth, including intensification and expansion of the urban area. The Council has limited resources and significant infrastructure costs. This includes both renewal of existing infrastructure assets and investment in the infrastructure required to provide for anticipated growth.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SD - Transport and Infrastructure Provision /Issues	151.75	Amend	Considers that infrastructure should have a functional need, operational need or both. Considers that the way the issue is written it must have both and it should be recognised that one or the other is also appropriate and this needs to be made consistent throughout the PDP.	Amend the provision as follows: Infrastructure has a functional and/or operational requirements necessary to its operation which may result in adverse effects on the environment. The quality of the environment and the well-being of people and communities are affected by choices about the management of infrastructure. And make subsequent amendments when the same wording is used throughout the PDP
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	SD - Transport and Infrastructure Provision /Strategic Objectives	151.76	Amend	Considers that technical needs of infrastructure is not defined in the PDP, but functional need is, therefore functional need should be included in the objective. Positive effects also should be recognised.	Amend the provision as follows The adverse effects of infrastructure are managed with regard to the economic, social, environmental, and cultural benefits and the <u>positive effects, technical functional need</u> and operational needs of infrastructure.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /ROOT PROTECTION AREA	151.77	Support	Supports as the definition is clear and appropriate.	Retain the definition as notified.

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	Definitions /Definitions /SIGN	151.78	Amend	Supports The definition , although explicit recognition of signs associated with infrastructure should be included.	Amend the definition as follows: SIGN means any device, character, graphic or electronic display, whether temporary or permanent; which a. is for the purposes of— i. identification of or provision of information about any activity, property or structure or an aspect of public safety; ii. providing directions; or iii. promoting goods, services or events; iv. <u>provision of information concerning infrastructure</u> ; and
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	FC - Financial Contributions /Policies	151.79	Support	Supports that the policy is directive about "all infrastructure". Notes that often infrastructure which is provided by private entities, such as telecommunication companies, have difficulty recovering costs. The telecommunication companies wish to work with Council to determine how financial contributions are distributed under this policy.	Retain the policy as notified.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Rules Table /NU-R12A	151.80	Amend	Considers the addition of lines to existing overhead networks in these zones should be provided for as a permitted activity.	Amend the rule so that the addition of new lines to any existing overhead networks in these zones is a permitted activity
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Rules Table /NU-R12A	151.81	Amend	Considers that the functional need or operational need of infrastructure should be a consideration under the matters of discretion.	Amend the provision as follows: NU-R12B Activity Status where activity conditions 1 or 2 are not met: Restricted Discretionary Matters of discretion are: 1. The effects on the amenity of the area and its surrounds; 2. The effects on any cultural, historical, amenity, recreational, and/or ecological values the area may possess, and 3. The effects on any outstanding natural feature or significant landscape identified in the District Plan. 4. <u>The functional need or operational need for infrastructure to be located in the zone</u>
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Standards Table /All zones and associated precincts	151.82	Amend	Considers that the standard should recognise that the telecommunication companies have experience in constructing pole structures beneath airport obstacle limitation surfaces and through this experience it has been found that engineers are equally capable of calculating maximum permitted height without penetrating the surfaces.	Amend the provision as follows: Note: A registered surveyor's certificate <u>or engineering calculation</u> verifying that the building <u>or structure</u> plans meet the Airport Height Control Designation in Appendix 1 will be required at the time of applying for building consent or requesting a certificate of compliance.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Standards Table	151.83	Oppose	Opposes as there is no requirement for this standard - there are other existing processes through Corridor Access Requests and the Resource Management (Network Utility Operations) Regulations 2016 which require the same matter to be considered.	Delete the provision.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Standards Table /All zones and associated precincts	151.84	Amend	Considers that the standard needs to be reworded to an activity which has a footprint of more than 200m2 in area, rather than on a site of that size. Often small infrastructure such as a pole or a cabinet which has no transport implications can be located on a site which is more than 200m2 in area.	Amend the provision as follows: 1. Any network utility on a site that is <u>that has a footprint of</u> more than 200 m2 in area, must meet the requirements for access in the Transport chapter in standards, TPT-S4 (Vehicle Access (General)), TPT-S5 (Vehicle Access (Restrictions)), and TPT-S6 (Manoeuvring).

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Standards Table	151.85	Amend	Considers some clarification is sought in the wording, so that new lines over a waterway attached to existing structures, such as poles, are clearly provided for.	Amend the provision as follows: 3. When located above a waterbody, new pipes, cables, conductors, or lines must be: a. attached to an existing bridge or structure and incorporated within an existing bridge structure or culvert, or b. within an existing attached conduit or duct.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Rules Table /	151.86	Amend	Considers a new rule is needed to ensure that monitoring equipment in the Coastal Environment or on the surface of water is permitted. Such equipment is beneficial to understanding changes to the environment which surrounds us.	Add a new rule with permitted activity status for new monitoring equipment on the surface of water or in the coastal environment.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Standards Table /NU-S4: Floor space & dimensions	151.87	Amend	Notes that the standard is about dimensions - having floor space in the title is somewhat confusing as the standard is much broader. Considers that the floor space for buildings is limited, and should reflect the underlying site coverage of buildings in the relevant zone that the building is located in. The Antenna sizes provided for should align with the NESTF.	Amend the standard as follows NU-S4: Floor space & dimensions 1. Any above ground building or structure (excluding new electric vehicle charging facilities) must not: a. exceed 10 m2 gross floor area (where located within road reserve); b. exceed 15 m2 gross floor area (where located outside road reserve) in the <u>[insert site coverage permitted standards in]</u> residential zones and associated precincts, and c. exceed 50 m2 gross floor area (where located outside road reserve) in the rural zones (including rural lifestyle zone), commercial and mixed use zones, industrial zones and associated precincts <u>[insert site coverage permitted standards in]</u> . 4. Panel antennas must not: a. exceed 20 2.5m2 in <u>front face area</u> in any commercial and mixed use zones, industrial zones, or airport zones and associated precincts; b. exceed 1.25 m2 in <u>front face area</u> in all other zones, and c. when located within road reserve, must fit within an envelope of 3.5 m in length and 0.7m in width.
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /Objectives /NU-O2: Adverse effects of network utilities	151.88	Amend	Considers that the functional need and operational need are two separately defined terms, and the objective should recognise that only one or the other is required to be satisfied to fulfil the objective, not both.	Amend the provision as follows <u>NU-O2: Adverse effects of network utilities</u> <u>The adverse effects of network utilities on the environment are avoided, remedied, or mitigated, as far as is practicable, while recognising the functional and operational needs of network utilities (including those associated with their scale, design, and locational requirements).</u> - <u>Relates to NU-12</u>

Submitter Name	Section / Sub-section / Provision	Submission number / Point Number	Position	Summary of Submission	Relief Summary
Chorus New Zealand Limited, Connexa Limited, Aotearoa Tower Group (trading as FortySouth), One New Zealand Group Limited and Spark New Zealand Trading Limited	NU - Network utilities /NU - Network Utilities - Rules Table /	151.89	Amend	Considers that clear provision should be provided for activities which are regulated by, but do not meet the relevant permitted regulations of the NESTF but do not have significant adverse effects. It is appropriate for such structures to have Controlled Activity Status.	<p>Add a new rule as follows</p> <p><u>NU-RXX</u></p> <p><u>Telecommunications regulated under NES-TF, but which do not meet the permitted activity standards in Regulations 27, 29, 31, 33 or 35 of the NESTF</u></p> <p><u>All Zones</u></p> <p><u>Activity Status: CON</u></p> <p><u>Where:</u></p> <p><u>1. for panel antenna a width of 0.8m is not exceeded;</u> <u>2. for dish antenna, the antenna does not exceed a diameter of:</u> <u>a. 1.2m in a residential zone; or</u> <u>b. 3m in all other zones.</u> <u>3.</u></p> <p><u>And the activity complies with the following standards :NU-S3 and INF-S12</u></p> <p><u>Matters over which control are reserved: NU-AC3</u></p> <p><u>Activity status when compliance is not achieved with RXX.1 – XX.2 RDIS</u></p> <p><u>Matters of discretion are restricted to: NU-AC3</u></p>